

=> fil hcap

FILE 'HCAPLUS' ENTERED AT 15:00:54 ON 23 SEP 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)


Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 23 Sep 2004 VOL 141 ISS 13
FILE LAST UPDATED: 22 Sep 2004 (20040922/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> d que 14

L1 STR



NODE ATTRIBUTES:
DEFAULT MLEVEL IS ATOM
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:
RING(S) ARE ISOLATED OR EMBEDDED
NUMBER OF NODES IS 11

STEREO ATTRIBUTES: NONE
L3 2 SEA FILE=REGISTRY SSS FUL L1
L4 4 SEA FILE=HCAPLUS ABB=ON PLU=ON L3

=> fil uspatful

FILE 'USPATFULL' ENTERED AT 15:01:03 ON 23 SEP 2004
CA INDEXING COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

FILE COVERS 1971 TO PATENT PUBLICATION DATE: 23 Sep 2004 (20040923/PD)
 FILE LAST UPDATED: 23 Sep 2004 (20040923/ED)
 HIGHEST GRANTED PATENT NUMBER: US6795973
 HIGHEST APPLICATION PUBLICATION NUMBER: US2004187181
 CA INDEXING IS CURRENT THROUGH 23 Sep 2004 (20040923/UPCA)
 ISSUE CLASS FIELDS (/INCL) CURRENT THROUGH: 23 Sep 2004 (20040923/PD)
 REVISED CLASS FIELDS (/NCL) LAST RELOADED: Jun 2004
 USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Jun 2004

```

>>> USPAT2 is now available.  USPATFULL contains full text of the  <<<
>>> original, i.e., the earliest published granted patents or      <<<
>>> applications.  USPAT2 contains full text of the latest US     <<<
>>> publications, starting in 2001, for the inventions covered in  <<<
>>> USPATFULL.  A USPATFULL record contains not only the original  <<<
>>> published document but also a list of any subsequent           <<<
>>> publications.  The publication number, patent kind code, and   <<<
>>> publication date for all the US publications for an invention  <<<
>>> are displayed in the PI (Patent Information) field of USPATFULL <<<
>>> records and may be searched in standard search fields, e.g., /PN, <<<
>>> /PK, etc.                                                       <<<


>>> USPATFULL and USPAT2 can be accessed and searched together    <<<
>>> through the new cluster USPATALL.  Type FILE USPATALL to      <<<
>>> enter this cluster.                                           <<<
>>> Use USPATALL when searching terms such as patent assignees,    <<<
>>> classifications, or claims, that may potentially change from  <<<
>>> the earliest to the latest publication.                         <<<

```

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> d que 19

L1 STR



NODE ATTRIBUTES:

DEFAULT MLEVEL IS ATOM

DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED

NUMBER OF NODES IS 11

STEREO ATTRIBUTES: NONE

L3 2 SEA FILE=REGISTRY SSS FUL L1
 L9 1 SEA L3

=> dup rem l4 l9

FILE 'HCAPLUS' ENTERED AT 15:01:17 ON 23 SEP 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'USPATFULL' ENTERED AT 15:01:17 ON 23 SEP 2004

CA INDEXING COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

PROCESSING COMPLETED FOR L4

PROCESSING COMPLETED FOR L9

L10 5 DUP REM L4 L9 (0 DUPLICATES REMOVED)
 ANSWERS '1-4' FROM FILE HCAPLUS
 ANSWER '5' FROM FILE USPATFULL

=> d l10 ibib abs hitstr 1-5

L10 ANSWER 1 OF 5 HCAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 2000:98703 HCAPLUS

DOCUMENT NUMBER: 132:153667

TITLE: Preparation of cationic surfactants containing ester group and having good water solubility

INVENTOR(S): Kim, Dong-Il; Kim, Tae-Seong; Rang, Moon-Jeong

PATENT ASSIGNEE(S): LG Chemical Ltd., S. Korea

SOURCE: PCT Int. Appl., 19 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1


PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000006679	A1	20000210	WO 1999-KR407	19990727
W: CN, ID, IN, JP, US, VN				
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
KR 2000011984	A	20000225	KR 1999-30497	19990727
JP 2002521492	T2	20020716	JP 2000-562463	19990727
US 6414170	B1	20020702	US 2001-744349	20010123
PRIORITY APPLN. INFO.:			KR 1998-30208	A 19980727
			WO 1999-KR407	W 19990727

OTHER SOURCE(S): MARPAT 132:153667

AB A cationic surfactant having excellent softness, antistatic properties, biodegradability, etc. is due to having an ester group and a hydrophilic hydroxyl group. A cationic surfactant is prepared by reacting tertiary amine derivs., fatty acid, and epihalohydrin, and prepared simply by reacting esterification and quaternary reactions in one step with a high yield. The cationic surfactant is a high grade alkyl quaternary ammonium compound $[A(CH_2)_nN+(R_1)_2CH_2CH(OH)CH_2O_2CR_2]X^-$ where $R_1 = C1-4$ -alkyl; $R_2 = C7-21$ linear or branched alkyl or alkenyl group; $A = OCOR_3$, $NHCOR_3$ or OH ; $R_3 = C7-21$ linear or branched alkyl or alkenyl group; $X =$ halogen; and $n = 2-6$.

IT 110528-96-6DP, esters with mixts. of stearic acid and palmitic acid
 RL: IMF (Industrial manufacture); PRP (Properties); PREP (Preparation)
 (surfactant, biodegradability; cationic surfactants containing hydroxyl and ester group)
 RN 110528-96-6 HCAPLUS
 CN 1-Propanaminium, 2,3-dihydroxy-N-(2-hydroxyethyl)-N,N-dimethyl-, chloride (9CI) (CA INDEX NAME)



● Cl⁻

REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 2 OF 5 HCAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 1990:8680 HCAPLUS

DOCUMENT NUMBER: 112:8680

TITLE: High-yield azo dye compositions for natural and synthetic polyamide textiles

INVENTOR(S): Ruzicka, Karel; Maxa, Milan; Suk, Jiri

PATENT ASSIGNEE(S): Czech.

SOURCE: Czech., 3 pp.

CODEN: CZXXA9


DOCUMENT TYPE: Patent

LANGUAGE: Czech

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
CS 255187	B1	19880215	CS 1986-3779	19861208
PRIORITY APPLN. INFO.:			CS 1986-3779	19861208
GI				



AB The title composition, useful for dyeing and printing of wool, silk, and polyamide textiles with a high dyeing yield, consists of the 1:2 Cr-complex dye I 65-75, cationic surfactant [ROCH₂CH(OH)CH₂NMe₂CH₂CH₂OH]+X- (II), (R = C₁₀-18 alkyl; X = halogen) 1-3, and fillers (inorg. electrolytes, sugars, urea, oils as antidusting agents) 22-34%. These compns. reduce the concentration of I in waste waters and are prepared by mixing of

the liquid components and spray or fluid drying. I (75 parts) was mixed at 60° with 7 parts of a 30% aqueous solution of II and 25 parts Na₂SO₄ and spray dried at 90-200°, giving a composition for use in neutral baths containing (NH₄)₂SO₄.


IT 121850-91-7D, C₁₀-18 alkyl ethers, halide salts

RL: USES (Uses)

(surfactants, 1:2 chrome-complex azo dyeing compns. containing, for polyamide textiles)

RN 121850-91-7 HCAPLUS

CN 1-Propanaminium, 2,3-dihydroxy-N-(2-hydroxyethyl)-N,N-dimethyl- (9CI) (CA INDEX NAME)



L10 ANSWER 3 OF 5 HCAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 1989:479837 HCAPLUS

DOCUMENT NUMBER: 111:79837

TITLE: Chrome-complex azo dye preparations


INVENTOR(S): Ruzicka, Karel; Maxa, Milan; Suk, Jiri

PATENT ASSIGNEE(S): Czech.

SOURCE: Czech., 3 pp.
 CODEN: CZXXA9
 DOCUMENT TYPE: Patent
 LANGUAGE: Czech
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
CS 254617	B1	19880115	CS 1986-3778	19860523
PRIORITY APPLN. INFO.:			CS 1986-3778	19860523
OTHER SOURCE(S):	MARPAT 111:79837			

GI




AB The title preps., containing the Cr complex dye I 65-75, cationizing agents [ROCH₂CH(OH)CH₂N(Me)₂CH₂CH₂OH]+ X⁻ (II) (R = C₁₀-18 alkyl; X = halogen) 1-3, and fillers (inorg. electrolytes, sugars, urea, oily antidusting additives) 22-34%, give fast black prints and shades on wool, silk, and polyamide textiles with high I utilization. A typical preparation contains I 70, II 3, and Na₂SO₄ 27 parts.


IT **121850-91-7D**, C₁₀-18 alkyl ethers
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (in chrome dye preps. for textile printing)

RN 121850-91-7 HCAPLUS

CN 1-Propanaminium, 2,3-dihydroxy-N-(2-hydroxyethyl)-N,N-dimethyl- (9CI) (CA INDEX NAME)



L10 ANSWER 4 OF 5 HCAPLUS COPYRIGHT 2004 ACS on STN
 ACCESSION NUMBER: 1987:636676 HCAPLUS
 DOCUMENT NUMBER: 107:236676
 TITLE: Intramolecular cyclization products from alkanolamines and epichlorohydrin
 AUTHOR(S): Buriks, Rudy S.; Lovett, Eva G.
 CORPORATE SOURCE: Petrolite Corp., St. Louis, MO, 63119, USA
 SOURCE: Journal of Organic Chemistry (1987), 52(23), 5247-54 ..
 CODEN: JOCEAH; ISSN: 0022-3263
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 OTHER SOURCE(S): CASREACT 107:236676
 GI




AB Tertiary (2-hydroxyethyl)dialkylamines $\text{HOCH}_2\text{CH}_2\text{NRR}_1$ ($\text{R}, \text{R}_1 = \text{Me}, \text{CH}_2\text{CH}_2\text{OH}$) reacted with epichlorohydrin to form mixts. containing equal amts. of 2-(hydroxymethyl)-4,4-dialkylmorpholinium chlorides I and perhydro-6-hydroxy-4,4-dialkyl-1,4-oxazepinium chlorides II. Secondary (2-hydroxyethyl)alkylamines $\text{HOCH}_2\text{CH}_2\text{NHR}_3$ ($\text{R}_3 = \text{Me}, \text{CH}_2\text{CH}_2\text{OH}$) gave a 9:1 ratio of the corresponding bases III and IV, resp., in agreement with the prediction of Baldwin's rules. Methylation of a mixture of III and IV ($\text{R} = \text{Me}$ for both) with MeCl gave a mixture of I and II ($\text{R} = \text{R}_1 = \text{Me}$). A mechanism involving intramol. ring closure of an intermediate epoxide is discussed.

IT 110528-96-6P

RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of)

RN 110528-96-6 HCAPLUS

CN 1-Propanaminium, 2,3-dihydroxy-N-(2-hydroxyethyl)-N,N-dimethyl-, chloride.
 (9CI) (CA INDEX NAME)



● Cl⁻

L10 ANSWER 5 OF 5 USPATFULL on STN

ACCESSION NUMBER: 2002:160892 USPATFULL

TITLE: Preparation of cationic surfactants containing ester group in molecules

INVENTOR(S): Kim, Dong-Il, Daejeon, KOREA, REPUBLIC OF
Ha, Jeong-Wook, Daejeon, KOREA, REPUBLIC OF
Kim, Tae-Seong, Daejeon, KOREA, REPUBLIC OF
Rang, Moon-Jeong, Daejeon, KOREA, REPUBLIC OF

PATENT ASSIGNEE(S): LG Chemical Ltd., Seoul, KOREA, REPUBLIC OF (non-U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 6414170	B1	20020702
	WO 2000006679		20000210
APPLICATION INFO.:	US 2001-744349		20010123 (9)
	WO 1999-KR407		19990727
			20010123 PCT 371 date

	NUMBER	DATE
PRIORITY INFORMATION:	KR 1998-30208	19980727
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	GRANTED	
PRIMARY EXAMINER:	Killos, Paul J.	
ASSISTANT EXAMINER:	Tucker, Zachary	
LEGAL REPRESENTATIVE:	Fish & Richardson P.C.	
NUMBER OF CLAIMS:	9	
EXEMPLARY CLAIM:	1	
NUMBER OF DRAWINGS:	0 Drawing Figure(s); 0 Drawing Page(s)	
LINE COUNT:	467	

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The present invention relates to a method for preparing a cationic surfactant in which physical chemical characteristics such as softness, antistatic properties, etc. as well as biodegradability are quite excellent due to having an ester group and a hydrophilic hydroxyl group in its molecules. A cationic surfactant of the present invention is prepared by reacting tertiary amine derivatives, fatty acid, and epihalohydrin, and prepared simply by reacting esterification and quaternary reactions in one step with a high yield. The above cationic surfactant is a high grade alkyl quaternary ammonium compound as represented in General Formula (1), wherein R^{sup.1} is a C_{sub.1}-C_{sub.4} alkyl group; R^{sup.2} is a C_{sub.7}-C_{sub.21} linear or branched alkyl or

alkenyl group; A is OCOR³, NHCOR³ or OH; R³ is a C₇-C₂₁ linear or branched alkyl or alkenyl group; X is a halogen atom; and n is an integral number from 2 to 6. ##STR1##


CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 110528-96-6DP, esters with mixts. of stearic acid and palmitic acid

(surfactant, biodegradability; cationic surfactants containing hydroxyl and ester group)

RN 110528-96-6 USPATFULL

CN 1-Propanaminium, 2,3-dihydroxy-N-(2-hydroxyethyl)-N,N-dimethyl-, chloride (9CI) (CA INDEX NAME)



● Cl⁻